•_	r ID 63889 Ober 18, 2010 10:30:16 AM									Page 1
Item ID: Revision ID:	DSI 9052-013	1	Accept				s	etup Star		
Item Name:	Pod Quick Release							Stop		
Required Date:	11/18/2010 Start Qty: 1.00 11/18/2010 Req'd Qty: 1.00	1 (1816) (141 288) 1 (1866) (141 288)		Cust Item II Customer:) :					
Reference:						_	D	tun Star	·	
Approvals:	Process Plan:	Date: 10-11-18	Tooling:	Da	te:		N			
	QC:	Date:	SPC (Y/N):	Da	te:			Stop		
Sequence ID/ Work Center ID	Operation Description		Set Up/ Run Hours	Tool ID	Tool#	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr			-	·—·					
DSI 9052	Rev D							^		
	DOCUMENT CONTROL		0.00				#	for B	G 10.	.11-18
DC Document Control	Memo Photocopy bl	uefile & type labels per Pl	0.00 PP 9052-013 CHG001	2014/18	•		-'()			
110	Pick Kit		0.00					. 1		
Packaging Packaging	Memo		0.00),,1/18	1/2).	

QC4-100% Inspect kits for completeness

120 |||||||||||||||||||||||||||||||||||QC

Memo

Quality Control

Dart Aerospace Ltd

W/O:			WC	RK ORDER CHANG	GES							
DATE	STEP	PR	OCEDURE CHAI	NGE	By Date Qty Chief					Approval of Eng / od Mgr Approval QC Inspector		
				·								
Part No	·	PAR #:	Fault Cateç	jory:	NCR	: Yes	No DQ	4 :	Date:			
		olution:										
NCR:			WORK ORDE	R NON-CONFORM	ANCE	(NCR)					
DATE	CTED	Description of NC		Corrective Action Sec	tion B	Verification			Approval	Approval		
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng		Sign & Date	Secti		Chief Eng	QC Inspector		
									i			
							-					
							,					
· .												
,	1		1				į.					

NOTE: Date & initial all entries

Work Order ID 63889

Thursday, November 18, 2010 10:30:16 AM



Page 2

Item ID:

DSI 9052-013

Accept



Setup Start



Revision ID:

Item Name:

Pod Quick Release

Start Date: Required Date: 11/18/2010

11/18/2010

Start Qty: 1.00 Req'd Qty: 1.00

Cust Item ID:

Customer:

Reference:

Approvals:

Date: _____ Tooling: Date:

Run

Start

Stop

Stop



Date: _____

SPC (Y/N):

Set Up/

Run Hours

Tool ID

Date:

Tool # Plan

Code

Accept

Qty

Reject Qty

Insp. Number Stamp

Work Center ID 130

Sequence ID/

Packaging Packaging

Packaging

Operation

Description

0.00

0.00

Identify and pack for shipping as per PPP D9052-013 \(\text{Location:} \)

140

QC

Quality Control

QC21- Final Inspection - Work Order Release

0.00

Memo

0.00

Bro-11-18

Reject

Dart Aerospace Ltd

W/O:			WO	RK ORDER CHANG	ES					
DATE	STEP	PROCEDURE CHANGE By Date					Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	
					į					
·										
Part No: PAR #: _			Fault Categ	jory:	_ NCR: Yes	No DQ	A:	Date:		
Resolution:		solution:	Disposition	:	_ QA: N/C Clo		Date:			
NCR:			WORK ORDE	R NON-CONFORMA	ANCE (NCR)				
DATE	CTED	Description of NC		Corrective Action Sect		Verific	cation	Approval	Approval	
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date		on C	Chief Eng	QC Inspector	
								,		
						į				

NOTE: Date & initial all entries

Picklist Print

Thursday, November 18, 2010 10:30:15 AM

* Work Order ID: 63889

Parent Item:

DSI 9052-013

Parent Item Name: Pod Quick Release



115975

Start Date: 11/18/2010

Required Date: 11/18/2010

Page 1

Start Qty: 1.00

Required Qty: 1.00

~					
Co	m	m	en	fe•	

IPP Rev:A□02.05.15□New Issue□NG

	Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
•	BLRS-010 Pip Pin		Purchased	No			120	Each	18.0000		0/1/18	\$		
	•				Location ST283	115579 115975	<u>Loc (</u>	Oty 18 8 10	Loc Code	 	<u></u>			
_ >	BLRS-020 Pip Pin		Purchased	No			120	Each	18.0000	3 · <u>/</u>	3/11/18	, (D 1	le
					Location ST283		Loc	<u>Qty</u> 18	Loc Code	-4		_		

10

Dart Aeros	space Ltd
------------	-----------

W/O:			WO	RK ORDER CHANG	ES				
DATE STEP		PRO	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approva QC Inspector		
						<u> </u>			
Part No	· ·	PAR #:	Fault Categ	ory:	_ NCR: Yes	No DQ	A:	Date: _	
		olution:							
NCR:			WORK ORDE	R NON-CONFORMA	ANCE (NC	R)			
DATE	CTED	Description of NC Corrective Action			ection B Verificatio			Approval Appro	Approval
DAIE	STEP Description of NC Section A	Initial Chief Eng	Action Description Chief Eng	Sign Date	& Sect	tion C	Chief Eng	QC Inspector	
,									
							•		
							•		
								ţ	
و									

NOTE: Date & initial all entries



DART SERVICE INSTRUCTION

TO AMEND INSTALLATION INSTRUCTIONS D350-607 REV. F OR LATER REV. (REF. CANADIAN STC: SH94-14, REF. FAA STC: SR00213NY) AND TO AMEND INSTALLATION DRAWING D350-602 REV. E OR LATER REV. (REF. CANADIAN STC: SH93-97, REF. FAA STC: SR01144NY)

PURPOSE: TO ALLOW SUBSTITUTION OF THE BASKET/ POD ATTACHMENT BOLTS WITH QUICK **RELEASE PINS**

THE AN4-12A / AN4-15A / AN4-16A BOLTS USED ON D2230-1 CLAMPS MAY BE REPLACED WITH STAINLESS STEEL POSITIVE LOCKING QUICK RELEASE PINS WITH A MINIMUM DOUBLE SHEAR STRENGTH OF 2400 LBS AND 0.25 INCH DIAMETER.

BOLT	MIN GRIP	POSSIBLE QUICK RELEASE PIN REPLACEMENT
AN4-12A	1.0"	AVIBANK: BLC4B10S, BLC4TA10S, BLC4R10S, BLC4LA10S MS NUMBER: MS17984C410, MS17985C410, MS17986C410, MS17987C410 REID: BLRS-010, BLBS-010
AN4-15A / AN4-16A	1.3"	AVIBANK: BLC4B13S, BLC4TA13S, BLC4R13S, BLC4LA13S MS NUMBER: MS17984C413, MS17985C413, MS17986C413, MS17987C413 REID: BLRS-020, BLBS-020

THE FOLLOWING OPTIONAL KITS ARE AVAILABLE FROM DART TO PROVIDE QUICK RELEASE CAPABILITY. DART HELI-UTILITY-BASKETS D350-607-041 @ CHG 008, D350-607-043 @ CHG 005, D350-607-045 @ CHG 003, D350-607-047 @ CHG 003, OR LATER CHANGE NUMBERS, OR KITS MODIFIED PER SERVICE INSTRUCTION DSI 9342 USE AN4-15A BOLTS AND SHOULD PURCHASE THE DSI-9052-013 KIT. EARLIER CHANGE NUMBERS THAT HAVE NOT BEEN MODIFIED PER SERVICE INSTRUCTION DSI 9342 USE AN4-12A BOLTS AND SHOULD PURCHASE THE DSI-9052-011 KIT.

QTY -011	QTY -013	PART NUMBER	DESCRIPTION
Х		DSI-9052-011	QUICK RELEASE KIT, FOR D350-607-041 (CHG ≤007) / -043 (CHG ≤004) / -045 (CHG ≤002) / -047 (CHG ≤002)
	Х	DSI-9052-013	QUICK RELEASE KIT, FOR D350-602-011/-013/-014 & D350-607-041 (CHG 008) / -043 (CHG 005) / -045 (CHG 003) / -047 (CHG 003)
4	1	BLRS-010	QUICK RELEASE PIN (1.0" GRIP)
	3	BLRS-020	QUICK RELEASE PIN (1.5" GRIP)

IT IS ACCEPTABLE TO LEAVE THE D2230-1/-3 CLAMPS INSTALLED ON THE CROSSTUBES WHEN THE BASKET OR POD IS REMOVED. WEIGHT & BALANCE, FOR CLAMPS ONLY, IS 1.8lb (0.82kg) @ STA 135in (3.43m) & BL ±36in (±0.91m).

DE APPR.

09.06.23

DATE

CANADA DEPARTMENT OF TRANSPORT AIRCRAFT CERTIFICATION **BRANCH** DAO # 01-O-01

D. SHEPHERD

09.06.23 DATE: CERT. NO.: SH94-14 / SH93-97 ISSUE NO.: __

E	-013 KI	T NOW APPLI	СР	09.06.23				
D	ADD C	LAMPS ONLY	KJ	KJ 04.03.23				
С	ADD D	SI 9052-013		CP	03.12.11			
В	ADD P	ART NUMBER	BW	96.11.13				
A	NEW IS	SSUE	MM	96.11.04				
REV.		Ε	DESCRIPTION	BY	DATE			
DESIGN		MM	DART AEROS	PACE	LTD			
DRAWN (9	HAWKESBURY, ONTA	ARIO, CANA	NDA			
CHECKED 15			DRAWING NO.		REV. E			

CHECKED DRAWING NO. **DSI 9052** SHEET 1 OF 1 MFG. APPR. APPROVED TITLE

QUICK PIN REPLACEMENT

COPYRIGHT @ 1996 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WRITTEN PERMISSION FROM DAYAT AEROSPACEL ITD.

SCALE

NTS